Version	Date	Changes						
1.00	15 March 2023	First and Initial version of APIs						
1.01	01 April 2023	Add default page at get_transaction API.						
		Add from and to at get_transaction API.						
		Add get_accounts API.						
1.02	20 April 2023	Add create_transfer API.						
		Add get_bank_config API.						
		Add get_transfer API.						
		Add update_transfer_queue API.						
		Add update_otp API.						
		Add update_otp2 API.						
1.03	27 April 2023	Add check_transaction API.						
		Add redeem_transaction API.						
1.04	03 May 2023	Rework check_transaction API						
1.05	09 July 2023	Add status to get_bank_config API.						
		Add create_payment_gateway_deposit API.						
		Add check_deposit_status API.						
1.06	20 July 2023	Rename Document to Payment Gateway API Document.						
		Reworks all the APIs, rename certain APIs, add Merchant Code requirements to all APIs						
1.07	19 Aug 2023	Add ref to create_pg_deposit API.						
		Add logo_url on get_bank_config API.						
		Add Appendix C: Payment Gateway Flow.						
1.08	24 Aug 2023	Add callback_url to create_pg_deposit API.						
1.09	27 Aug 2023	Add callback_url to create_transfer API.						
1.10	01 Oct 2023	Add mandatory for the remark in create_transfer API.						
		Add details for callback in create pg deposit and create transfer APIs						
1.11	25 Oct 2023	Add bank_type in create_pg_deposit API.						
		Improve payment gateway flow to accept QR Code.						

1.12	05 Nov 2023	Add qrcode_url in get_deposit_accounts API.								
1.13	01 Dec 2023	Add create_prompt_pay_qrcode, get_prompt_pay_qrcode_by_uuid and								
		update_prompt_pay_scanned_time API.								
		Add Status Description of Prompt Pay QR Code.								
		Add Callback description for Prompt Pay QR Code.								
		Move Appendix D to Appendix E, add Appendix D as Prompt Pay QR Code Flow.								
1.14	11 Dec 2023	Add create_prompt_pay_deposit API.								
		Add more description to <b>Appendix D</b> .								
1.15	22 Dec 2023	Limit the amount in create_prompt_pay_qrcode and create_prompt_pay_deposit API to only accept								
		Integer.								
		Add get_balance API.								
1.16	30 Dec 2023	Re-allow the amount in create_prompt_pay_qrcode and create_prompt_pay_deposit API to only accept								
		decimal number.								
1.17	13 Jan 2024	Added adjustment_amount and total_amount on the Prompt Pay deposit callback.								
1.18	14 Jan 2024	Update Prompt Pay deposit callback								
1.19	29 Jan 2024	Add account_no in get_deposit_accounts API.								
		Add ref_2 in create_prompt_pay_deposit and create_prompt_pay_qrcode API.								
		Add ref_2 in prompt pay deposit callback.								
		Add ref_2 in create_pg_deposit API.								
		Add ref_2 in Payment Gateway Deposit callback.								
		Add remark_2 in create_transfer API.								
1.20	05 Mar 2024	Add create_true_money_deposit API.								
		Add create_true_money_qrcode API.								
		Add get_true_money_qrcode_by_uuid API.								
		Add update_true_money_scanned_time API.								
1.21	18 Jun 2024	Update Transfer callback table.								
		Remove PG deposit related API and information								

**Payment Gateway API** 

# Index

Table 1: All Available APIs

Url Name						
Public	Authentic	cated				
	create prompt pay deposit					
	create_prompt_pay_qrcode					
	create_true_money_deposit					
	create_true_money_grcode					
	<u>create_transfer</u>					
	get_balance					
	get_bank_config					
	get_prompt_pay_qrcode_by_uuid					
	get_true_money_qrcode_by_uuid					
	get_transfer_by_id					
	update_prompt_pay_scanned_time					
	update_true_money_scanned_time					

### **Note:**

The payment gateway and bank robot is designed based on the HTML structure of the banking website during development, it may not work when the site is decided to update its HTML source.

#### Overview

Domain	https://bank.kissvips.com/			
Base URL	https://bank.kissvips.com/api/			
Merchant Code	To be provided			
API Key	To be provided			

The complete API URL is [Base URL] + [URL Name]. Example to perform login, the complete API URL is <a href="https://bank.kissvips.com/api/get\_transaction">https://bank.kissvips.com/api/get\_transaction</a>. Every API need to be requested using <a href="https://bank.kissvips.com/api/get\_transaction">POST method</a>.

Every API will return the result in JSON format.

Every request needs to append with these parameters:

**Table 2: Mandatory Parameters for all API Requests** 

Parameters	Type	Max Length	Required	Remark
merchant_code	string	16	Yes	The Merchant Code provided
time	float	_	Yes	Current Epoch time when making the request. Each Epoch time must be unique and
				cannot offset more than 120 seconds. Up to 2 decimal places is allowed.
signature	string	32	Yes	Can be generated using formula: md5 (time + api_key)

Assume your api\_key is **P2B5jwQXiw60I5ic9s8MeWniG1o9GteS** and current Unix Epoch time, time is **1564895669.02**, hence your signature can be obtained using:

md5(1564895669.02P2B5jwQXiw60I5ic9s8MeWniG1o9GteS)

#### Result is:

dacf1a335219b1a19e8ffc7c4b48d436

(Convert to non-capital letter)

# **Url:** create\_prompt\_pay\_deposit

This is to create a new deposit via Prompt Pay QR Code through payment gateway method. More about Prompt Pay QR Code flow, can refer to **Appendix D: Prompt Pay QR Code Flow**.

# Request

Parameters	Type	Max Length	Required	Remark
account_no_list	json	512	No	The array of possible account number that user may use to transfer. e.g.:
				[6591492367, 0993720453, 1691414538]. The purpose is for the validation if there
				is multiple transactions with the same amount appear within the time range.
amount	float	_	Yes	Must be greater than zero, and less than pre-defined maximum deposit in system.
postback_url	string	512	Yes	The postback URL that will redirect to once the deposit is scanned.
callback_url	String	512	Yes	The callback URL that will call once the Prompt Pay is verified. Please refer to
				Appendix E for details.
ref	string	128	Yes	Reference for merchant to cross check with back office.
ref_2	String	128	No	Additional Reference if required

# Response

Parameters	Remark
status	The status of the request.
uuid	The unique ID of the request.
redirect_path	The Prompt Pay deposit path to redirected to.

```
{
    "response": {
        "status": "OK",
        "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
        "redirect_path": "http://bank.kissvips.com/pp_redirect?uuid=e14c4253-e32b-40f8-bda2-36c82e26111e"
}
}
```

# **Url:** create\_prompt\_pay\_qrcode

This is to create a new deposit via Prompt Pay QR Code through merchant own method. More about Prompt Pay QR Code flow, can refer to **Appendix D: Prompt Pay QR Code Flow**.

# Request

Parameters	Type	Max Length	Required	Remark
account_no_list	json	512	No	The array of possible account number that user may use to transfer. e.g.:
				[6591492367, 0993720453, 1691414538]. The purpose is for the validation if there
				is multiple transactions with the same amount appear within the time range.
amount	float	-	Yes	Must be greater than zero, and less than pre-defined maximum deposit in system.
callback_url	String	512	Yes	The callback URL that will call once the Prompt Pay is verified. Please refer to
				Appendix E for details.
ref	string	128	Yes	Reference for merchant to cross check with back office.

# Response

Parameters	Remark
status	The status of the request.
uuid	The unique ID of the request.
qrcode_path	The image path of the QR Code generated.

```
{
    "response": {
        "status": "OK",
```

```
"uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
    "qrcode_path": "http://bank.kissvips.com/path/uuid.png"
}
```

# **Url:** create\_true\_money\_deposit

This is to create a new deposit via Prompt Pay QR Code through payment gateway method. More about Prompt Pay QR Code flow, can refer to **Appendix F: True Money QR Code Flow**.

# Request

Parameters	Type	Max Length	Required	Remark
account_no_list	json	512	No	The array of possible account number that user may use to transfer. e.g.:
				[6591492367, 0993720453, 1691414538]. The purpose is for the validation if there
				is multiple transactions with the same amount appear within the time range.
amount	float	_	Yes	Must be greater than zero, and less than pre-defined maximum deposit in system.
postback_url	string	512	Yes	The postback URL that will redirect to once the deposit is scanned.
callback_url	String	512	Yes	The callback URL that will call once the True Money is verified. Please refer to
				Appendix E for details.
ref	string	128	Yes	Reference for merchant to cross check with back office.
ref_2	String	128	No	Additional Reference if required

# Response

Parameters	Remark
status	The status of the request.
uuid	The unique ID of the request.
redirect_path	The True Money deposit path to redirected to.

```
{
    "response": {
        "status": "OK",
        "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
        "redirect_path": "http://bank.kissvips.com/pp_redirect?uuid=e14c4253-e32b-40f8-bda2-36c82e26111e"
}
}
```

# **Url:** create\_true\_money\_qrcode

This is to create a new deposit via Prompt Pay QR Code through merchant own method. More about Prompt Pay QR Code flow, can refer to **Appendix F: True Money QR Code Flow**.

# Request

Parameters	Type	Max Length	Required	Remark
account_no_list	json	512	No	The array of possible account number that user may use to transfer. e.g.:
				[6591492367, 0993720453, 1691414538]. The purpose is for the validation if there
				is multiple transactions with the same amount appear within the time range.
amount	float	_	Yes	Must be greater than zero, and less than pre-defined maximum deposit in system.
callback_url	String	512	Yes	The callback URL that will call once the Prompt Pay is verified. Please refer to
				Appendix E for details.
ref	string	128	Yes	Reference for merchant to cross check with back office.

# Response

Parameters	Remark
status	The status of the request.
uuid	The unique ID of the request.
qrcode_path	The image path of the QR Code generated.

```
{
    "response": {
        "status": "OK",
```

```
"uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
    "qrcode_path": "http://bank.kissvips.com/path/uuid.png"
}
```

# **Url:** create\_transfer

This is to create a new transfer, after created, the default status will be "Pending".

More about transfer's status can refer to **Appendix A: Transfer Status**.

# Request

Parameters	Type	Max Length	Required	Remark
to_bank_id	integer	-	Yes	The specific bank id to transfer to. Refer to get_bank_config API.
to_account_no	integer	128	Yes	The account no of the bank to transfer
amount	float	-	Yes	Must be greater than zero, and less than pre-defined maximum transfer in system.
remark	string	128	Yes	Any transaction remark
remark_2	string	128	No	Additional remark if required
callback_url	String	512	No	The callback URL that will call once the transfer is success or fail. Please refer to
				Appendix E for details.

# Response

Parameters	Remark	
status	The status of the request.	
transfer_id	The unique ID of this transfer.	

```
{
  "response": {
    "status": "OK",
    "transfer_id": 2
}}
```

# **Url:** get\_balance

# Request

Parameters	Type	Max Length	Required	Remark
-	_	_	-	-

# Response

Parameters		Remark
status		The status of the request.
balance		The balance information
	amount	The balance of the merchant
	last_updated_at	The last updated date of the merchant balance

# Url: get\_bank\_config

# Request

Parameters	Type	Max Length	Required	Remark
-	_	_	-	-

# Response

<b>Parameters</b>		Remark		
status The status of the request.		The status of the request.		
accounts		The list of the available banks in the system.		
	id	The unique ID of bank		
	code	The unique code of bank		
	name	The name of bank		
	logo_url	The url of Bank Logo		
	status	The status of the bank, details refer to <b>Appendix A</b> : Bank Config Status		

```
"response": {
  "status": "OK",
  "accounts": [
  {
    "id": 1,
    "code": "002",
    "name": "BANGKOK BANK PUBLIC COMPANY LTD.",
    "logo_url": "https://bank.kissvips.com/path/name.png",
    "status": "D"
```

```
},
{
    "id": 2,
    "code": "004",
    "name": "KASIKORNBANK",
    "status": "A"
},
{...}
]
}
```

```
Sample of the responses:
```

```
"response": {
    "status": "OK",
    "deposit": {
        "token": "d464368f434355bf3f8a2298df32ff6c",
        "is_token_used": 1,
        "token_expired_at": "2023-05-13T14:10:41.0000002",
        "token_used_at": "2023-05-13T13:55:54.0000002",
        "amount": "10.0000",
        "created_at": "2023-05-13T13:55:41.0000002",
        "error_message": "Transfer Error",
        "status": "E"
    }
}
```

# Url: get\_prompt\_pay\_qrcode\_by\_uuid

# Request

Parameters	Type	Max Length	Required	Remark
uuid	string	_	Yes	The unique ID for the Prompt Pay QR Code. Refer to
				create prompt pay qrcode API.

Parameters		Remark
status		The status of the request.
prompt_pay_qrco	ode	The detail of the Prompt Pay QR Code
uu	uid	The unique ID of Prompt Pay QR Code
qr	rcode_path	The image path of the generated Prompt Pay QR Code.
an	mount	The amount of the Prompt Pay QR Code
re	ef	The ref sent by merchant
ac	ccount_no_list	The account number list sent by merchant
ca	allback_url	The callback URL sent by merchant
po	ostback_url	The postback URL sent by merchant
sta	atus	The status of the Prompt Pay QR Code. More about transfer's status can refer to <b>Appendix A: Prompt Pay QR</b>
		Code Status.
cr	reated_at	The datetime where the Prompt Pay QR Code is created.
scanned_at The datetime where the Prompt Pay QR Code is scanned.		The datetime where the Prompt Pay QR Code is scanned.
ve	erified_at	The datetime where the Prompt Pay QR Code is verified.

```
Sample of the responses:
```

```
{
      "response": {
            "status": "OK",
            "prompt pay qrcode": {
                  "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
                  "qrcode path": "http://bank.kissvip.club/path/uuid.png",
                  "amount": "1.00",
                  "ref": "ref",
                  "account_no_list": "[123, 456]",
                  "callback url": "http://bank.kissvip.club",
                  "postback url": "http://bank.kissvip.club",
                  "status": "C",
                  "created at": "2023-11-30T17:24:07.000000Z",
                  "scanned at": null,
                  "verified at": null
      }
}
```

# Url: get\_true\_money\_qrcode\_by\_uuid

# Request

Parameters	Type	Max Length	Required	Remark
uuid	string	_	Yes	The unique ID for the Prompt Pay QR Code. Refer to
				create_true_money_qrcode API.

Parameters		Remark	
status		The status of the request.	
true_money_qrc	ode	The detail of the True Money QR Code	
u	ıuid	The unique ID of True Money QR Code	
q	qrcode_path	The image path of the generated True Money QR Code.	
a	amount	The amount of the True Money QR Code	
re	ef	The ref sent by merchant	
a	account_no_list	The account number list sent by merchant	
С	allback_url	The callback URL sent by merchant	
р	ostback_url	The postback URL sent by merchant	
S	status	The status of the True Money QR Code. More about transfer's status can refer to <b>Appendix A: True Money QR</b>	
		Code Status.	
С	created_at	The datetime where the True Money QR Code is created.	
scanned_at The datetime where the True Money QR Code is scanned.		The datetime where the True Money QR Code is scanned.	
V	verified_at	The datetime where the True Money QR Code is verified.	

```
Sample of the responses:
```

```
{
     "response": {
          "status": "OK",
          "true money qrcode": {
                "qrcode path": "http://bank.kissvip.club/path/uuid.png",
                "amount": "1.00",
                "ref": "ref",
                "account_no_list": "[123, 456]",
                "callback url": "http://bank.kissvip.club",
                "postback url": "http://bank.kissvip.club",
                "status": "C",
                "created at": "2023-11-30T17:24:07.000000Z",
                "scanned at": null,
                "verified at": null
     }
}
```

Url: get\_transfer\_by\_id

# Request

Parameters	Type	Max Length	Required	Remark
transfer_id	integer	_	Yes	The unique ID for the transfer. Refer to create transfer API.

Parameters		Remark
status		The status of the request.
transfer		The detail of the transfer
	id	The unique ID of transaction
	created_at	The datetime of the transfer being created
	bank_config_id	The unique ID of the bank to transfer to
	to_bank	The name of the bank to transfer to
	to_account	The account no of the bank to transfer to
	amount	The amount of the transfer
	remark	The remark of the transfer
	status	The status of the transfer. More about transfer's status can refer to <b>Appendix A: Transfer Status</b> .

```
{
  "response": {
    "status": "OK",
    "transfer": [
    {
        "id": 3,
        "datetime": "2023-04-05T15:06:37.0000002",
        "bank_config_id": 2,
        "to_bank": "KASIKORNBANK",
        "to_account": "1463915322",
        "amount": "5.0000",
        "remark": "T1",
        "status": "S"
    }
}
```

# **Url: update\_prompt\_pay\_scanned\_time**

Update the scanned time for selected Prompt Pay Deposit, update after user had made the Prompt Pay transfer. System will then proceed to verify the transaction between the created time and scanned time.

# Request

Parameters	Type	Max Length	Required	Remark
uuid	string	_	Yes	The UUID obtained from create_prompt_pay_qrcode API.

Parameters		Remark
status		The status of the request.
prompt_pay_qr	code	The detail of the Prompt Pay QR Code
	uuid	The unique ID of Prompt Pay QR Code
	qrcode_path	The image path of the generated Prompt Pay QR Code.
	amount	The amount of the Prompt Pay QR Code
	ref	The ref sent by merchant
	account_no_list	The account number list sent by merchant
	callback_url	The callback URL sent by merchant
	status	The status of the Prompt Pay QR Code. More about transfer's status can refer to <b>Appendix A: Prompt Pay QR</b>
		Code Status.
	created_at	The datetime where the Prompt Pay QR Code is created.
	scanned_at	The datetime where the Prompt Pay QR Code is scanned.
verified_at		The datetime where the Prompt Pay QR Code is verified.

```
Sample of the responses:
```

```
"response": {
    "status": "OK",
    "prompt_pay_qrcode": {
        "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
        "qrcode_path": "http://bank.kissvip.club/path/uuid.png",
        "amount": "1.00",
        "ref": "ref",
        "account_no_list": "[123, 456]",
        "callback_url": "http://bank.kissvip.club",
        "status": "S",
        "created_at": "2023-11-30T17:24:07.000000Z",
        "scanned_at": "2023-11-30T17:25:07.000000Z",
        "verified_at": null
    }
}
```

# **Url: update\_true\_money\_scanned\_time**

Update the scanned time for selected True Money Deposit, update after user had made the True Money transfer. System will then proceed to verify the transaction between the created time and scanned time.

# Request

Parameters	Type	Max Length	Required	Remark
uuid	string	_	Yes	The UUID obtained from create_true_money_qrcode API.

Parameters	Remark
status	The status of the request.
true_money_qrcode	The detail of the True Money QR Code
uuid	The unique ID of True Money QR Code
qrcode_path	The image path of the generated True Money QR Code.
amount	The amount of the True Money QR Code
ref	The ref sent by merchant
account_no_list	The account number list sent by merchant
callback_url	The callback URL sent by merchant
status	The status of the True Money QR Code. More about transfer's status can refer to <b>Appendix A: True Money QR</b>
	Code Status.
created_at	The datetime where the True Money QR Code is created.
scanned_at	The datetime where the True Money QR Code is scanned.
verified_at	The datetime where the True Money QR Code is verified.

```
Sample of the responses:
```

```
{
     "response": {
          "status": "OK",
          "true money qrcode": {
               "qrcode path": "http://bank.kissvip.club/path/uuid.png",
                "amount": "1.00",
                "ref": "ref",
                "account no list": "[123, 456]",
                "callback url": "http://bank.kissvip.club",
                "status": "S",
                "created at": "2023-11-30T17:24:07.000000Z",
                "scanned at": "2023-11-30T17:25:07.000000Z",
                "verified at": null
          }
}
```

Appendix A

### **Transfer Status**

Code	Name
P	Pending
Q	Queue
S	Success
F	Failed
R *	Running

<sup>\*</sup> Not using at this moment

# **Bank Config Status**

Code	Name
A	Active
D	Disabled

# Bank Type

Code	Name
P	Personal Account
В	Business Account

## **Prompt Pay QR Code Status**

Code	Name
C	Created
S	Scanned
V	Verified

## **True Money QR Code Status**


Code	Name
C	Created
S	Scanned
V	Verified

Appendix B

# **Transfer flow (Obsoleted)** Once API success, a transfer with status create transfer Start "Pending" will be created. Once API success, the transfer will change into status update\_transfer\_queue "Queue", it will be processed by robot once all the current running task is clear. Process to login and create transfer. If require OTP, will need to update the received OTP value to the transfer. update\_otp Require OTP? Require another If require second OTP, will need to update update\_otp2 OTP? the OTP2 value for the transfer. \* Second OTP currently is only required when performing transfer on SCB bank for new account. Process to finalized transfer. End


**Appendix C** 

### **Payment Gateway Flow (Obsoleted)**




Appendix D

#### **Prompt Pay QR Code Deposit flow (Payment Gateway Method)**



#### Prompt Pay QR Code Deposit flow (Merchant Own Method)



Appendix E

#### **Transfer Call Back**

 $A\ POST\ request\ will\ be\ sent\ to\ the\ URL\ specified\ by\ the\ \verb|callback_url|\ param\ during\ the\ \verb|create_transfer|\ API.$ 

The call back will only send on every status changes. No response is needed for the call back.

The details of the call back are as follows:

Trigger Time	Format	<b>Response Required</b>
When the transfer is started	{	N/A
When the transfer encounter error during the	"transfer_id":2, "amount":3000,	
process	"status":"S",	
When the transfer is completed (either success	"remark":"r1",	
or fail)	"remark_2":"r2",	
	}	

### **Prompt Pay QR Code Deposit Call Back**

 $A \ POST \ request \ will \ be \ sent \ to \ the \ URL \ specified \ by \ the \ \texttt{callback\_url} \ param \ during \ the \ \texttt{create\_prompt\_pay\_qrcode} \ API.$ 

The call back will only send ONCE, and no response is needed for the call back.

The details of the call back are as follows:

Trigger Time	Format	<b>Response Required</b>
When the Prompt Pay QR Code deposit is successfully verified.	<pre>{     "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",     "deposit_amount": "1.00",     "adjustment": "0.01",     "amount": "1.01",     "ref": "ref",     "ref_2": "ref_2",     "status": "V",     "created_at": "2023-11-30T17:24:07.000000Z",     "scanned_at": "2023-11-30T17:25:07.000000Z",     "verified_at": "2023-11-30T17:26:07.000000Z" }</pre>	N/A

### **True Money QR Code Deposit Call Back**

 $A \ POST \ request \ will \ be \ sent \ to \ the \ URL \ specified \ by \ the \ \texttt{callback\_url} \ param \ during \ the \ \texttt{create\_true\_money\_qrcode} \ API.$ 


The call back will only send ONCE, and no response is needed for the call back.

The details of the call back are as follows:

Trigger Time	Format	<b>Response Required</b>
When the True Money QR Code deposit is successfully verified.	<pre>{     "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",     "deposit_amount": "1.00",     "adjustment": "0.01",     "amount": "1.01",     "ref": "ref",     "ref_2": "ref_2",     "status": "V",     "created_at": "2023-11-30T17:24:07.000000Z",     "scanned_at": "2023-11-30T17:25:07.000000Z",     "verified_at": "2023-11-30T17:26:07.000000Z" }</pre>	N/A

Appendix F

#### True Money QR Code Deposit flow (Payment Gateway Method)



### True Money QR Code Deposit flow (Merchant Own Method)

