

Version	Date	Changes
1.00	15 March 2023	First and Initial version of APIs
1.01	01 April 2023	Add default page at get_transaction API. Add from and to at get_transaction API. Add get_accounts API.
1.02	20 April 2023	Add create_transfer API. Add get_bank_config API. Add get_transfer API. Add update_transfer_queue API. Add update_otp API. Add update_otp2 API.
1.03	27 April 2023	Add check_transaction API. Add redeem_transaction API.
1.04	03 May 2023	Rework check_transaction API
1.05	09 July 2023	Add status to get_bank_config API. Add create_payment_gateway_deposit API. Add check_deposit_status API.
1.06	20 July 2023	Rename Document to Payment Gateway API Document. Reworks all the APIs, rename certain APIs, add Merchant Code requirements to all APIs
1.07	19 Aug 2023	Add ref to create_pg_deposit API. Add logo_url on get_bank_config API. Add Appendix C: Payment Gateway Flow .
1.08	24 Aug 2023	Add callback_url to create_pg_deposit API.
1.09	27 Aug 2023	Add callback_url to create_transfer API.
1.10	01 Oct 2023	Add mandatory for the remark in create_transfer API. Add details for callback in create_pg_deposit and create_transfer APIs
1.11	25 Oct 2023	Add bank_type in create_pg_deposit API. Improve payment gateway flow to accept QR Code.

1.12	05 Nov 2023	Add <code>qrcode_url</code> in <code>get_deposit_accounts</code> API.
1.13	01 Dec 2023	Add <code>create_prompt_pay_qrcode</code> , <code>get_prompt_pay_qrcode_by_uuid</code> and <code>update_prompt_pay_scanned_time</code> API. Add Status Description of Prompt Pay QR Code. Add Callback description for Prompt Pay QR Code. Move Appendix D to Appendix E , add Appendix D as Prompt Pay QR Code Flow .
1.14	11 Dec 2023	Add <code>create_prompt_pay_deposit</code> API. Add more description to Appendix D .
1.15	22 Dec 2023	Limit the amount in <code>create_prompt_pay_qrcode</code> and <code>create_prompt_pay_deposit</code> API to only accept Integer. Add <code>get_balance</code> API.
1.16	30 Dec 2023	Re-allow the amount in <code>create_prompt_pay_qrcode</code> and <code>create_prompt_pay_deposit</code> API to only accept decimal number.
1.17	13 Jan 2024	Added <code>adjustment_amount</code> and <code>total_amount</code> on the Prompt Pay deposit callback.
1.18	14 Jan 2024	Update Prompt Pay deposit callback
1.19	29 Jan 2024	Add <code>account_no</code> in <code>get_deposit_accounts</code> API. Add <code>ref_2</code> in <code>create_prompt_pay_deposit</code> and <code>create_prompt_pay_qrcode</code> API. Add <code>ref_2</code> in prompt pay deposit callback. Add <code>ref_2</code> in <code>create_pg_deposit</code> API. Add <code>ref_2</code> in Payment Gateway Deposit callback. Add <code>remark_2</code> in <code>create_transfer</code> API.
1.20	05 Mar 2024	Add <code>create_true_money_deposit</code> API. Add <code>create_true_money_qrcode</code> API. Add <code>get_true_money_qrcode_by_uuid</code> API. Add <code>update_true_money_scanned_time</code> API.
1.21	18 Jun 2024	Update Transfer callback table. Remove PG deposit related API and information

1.22	16 July 2024	Add signature for validation in all callbacks.
1.23	10 Sep 2024	Fixed the incorrect response from get_transfer_by_id API Add new API get_transfer_by_remark Add new API get_prompt_pay_qrcode_by_ref Add new API get_true_money_qrcode_by_ref
1.24	26 March 2025	Add new API get_manual_deposit_bank_list Add new API validate_manual_deposit_transaction
1.25	11 April 2025	Add new API create_manual_deposit
1.26	31 Aug 2025	Categorized with Thai QR and Indo QR. Add new API create_qris_deposit Add new API create_qris_qrcode Add new API get_qris_qrcode_by_uuid Add new API get_qris_qrcode_by_ref Add new API update_qris_scanned_time

Payment Gateway API

Index

Table 1: All Available APIs

Url Name		
Public	Authenticated	
	create manual deposit	
	create transfer	
	get balance	
	get bank config	
	get manual deposit bank list	
	get transfer by id	
	get transfer by remark	
	validate manual deposit transaction	
	Thai QR	Indo QR
	create prompt pay deposit	create qris deposit
	create prompt pay qrcode	create qris qrcode
	create true money deposit	get qris qrcode by ref
	create true money qrcode	get qris qrcode by uuid
	get prompt pay qrcode by ref	update qris scanned time
	get prompt pay qrcode by uuid	
	get true money qrcode by ref	
	get true money qrcode by uuid	
	update prompt pay scanned time	
	update true money scanned time	

Note:

The payment gateway and bank robot is designed based on the HTML structure of the banking website during development, it may not work when the site is decided to update its HTML source.

Overview

Domain	https://api.kissvip.online/	<i>(this domain is for staging server, domain for production will be provided)</i>
Base URL	https://api.kissvip.online/api/	<i>(this domain is for staging server, domain for production will be provided)</i>
Merchant Code	<i>To be provided</i>	
API Key	<i>To be provided</i>	

The complete API URL is **[Base URL] + [URL Name]**. Example to perform login, the complete API URL is https://api.kissvip.online/api/get_transaction.

Every API need to be requested using POST method.

Every API will return the result in JSON format.

Every request needs to append with these parameters:

Table 2: Mandatory Parameters for all API Requests

Parameters	Type	Max Length	Required	Remark
merchant_code	string	16	Yes	The Merchant Code provided
time	float	-	Yes	Current Epoch time when making the request. Each Epoch time must be unique and cannot offset more than 120 seconds. Up to 2 decimal places is allowed.
signature	string	32	Yes	Can be generated using formula: md5 (time + api key)

Assume your api_key is **P2B5jwQXiw60I5ic9s8MeWniG1o9GteS** and current Unix Epoch time, time is **1564895669.02**, hence your signature can be obtained using:

```
md5 (1564895669.02P2B5jwQXiw60I5ic9s8MeWniG1o9GteS)
```

Result is:

```
dacf1a335219b1a19e8ffc7c4b48d436
```

(Convert to non-capital letter)

Url: create_manual_deposit

This is to create a new deposit via manual verification method through bank bot. More about manual deposit flow, can refer to **Appendix D: Prompt Pay QR Code Flow**.

Request

Parameters	Type	Max Length	Required	Remark
to_bank_account_id	integer	20	Yes	The ID of the bank account that depositor transfer to which obtained from get_manual_deposit_bank_list API.
amount	float	-	Yes	Must be greater than zero, and less than pre-defined maximum deposit in system.
deposit_at	datetime	-	Yes	Follow format: Y-m-d H:i:s. Example: 2025-04-23 17:32:45
from_bank_config_id	integer	20	Yes	The id of bank that user transfer from. Refer to get_bank_config API.
from_bank_account_no	string	512	Yes	The bank account number that user used to deposit.
from_bank_account_name	string	512	Yes	The bank account name that user used to deposit.
callback_url	string	512	Yes	The callback URL that will call once the Manual Deposit is verified. Please refer to Appendix E for details.
remark_1	string	256	Yes	Reference for merchant to cross check with back office.
remark_2	String	256	No	Additional Reference if required

Response

Parameters	Remark
status	The status of the request.
manual_deposit_id	The unique ID of the request.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "manual_deposit_id": "24"
  }
}
```

Url: create_prompt_pay_deposit

This is to create a new deposit via Prompt Pay QR Code through payment gateway method. More about Prompt Pay QR Code flow, can refer to **Appendix D: Prompt Pay QR Code Flow**.

Request

Parameters	Type	Max Length	Required	Remark
account_no_list	json	512	No	The array of possible account number that user may use to transfer. e.g.: [6591492367, 0993720453, 1691414538]. The purpose is for the validation if there is multiple transactions with the same amount appear within the time range.
amount	float	-	Yes	Must be greater than zero, and less than pre-defined maximum deposit in system.
postback_url	string	512	Yes	The postback URL that will redirect to once the deposit is scanned.
callback_url	String	512	Yes	The callback URL that will call once the Prompt Pay is verified. Please refer to Appendix E for details.
ref	string	128	Yes	Reference for merchant to cross check with back office.
ref_2	String	128	No	Additional Reference if required

Response

Parameters	Remark
status	The status of the request.
uuid	The unique ID of the request.
redirect_path	The Prompt Pay deposit path to redirected to.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
    "redirect_path": "http://bank.kissvips.com/pp_redirect?uuid=e14c4253-e32b-40f8-bda2-36c82e26111e"
  }
}
```

Url: create_prompt_pay_qrcode

This is to create a new deposit via Prompt Pay QR Code through merchant own method. More about Prompt Pay QR Code flow, can refer to **Appendix D: Prompt Pay QR Code Flow**.

Request

Parameters	Type	Max Length	Required	Remark
account_no_list	json	512	No	The array of possible account number that user may use to transfer. e.g.: [6591492367, 0993720453, 1691414538]. The purpose is for the validation if there is multiple transactions with the same amount appear within the time range.
amount	float	-	Yes	Must be greater than zero, and less than pre-defined maximum deposit in system.
callback_url	String	512	Yes	The callback URL that will call once the Prompt Pay is verified. Please refer to Appendix E for details.
ref	string	128	Yes	Reference for merchant to cross check with back office.

Response

Parameters	Remark
status	The status of the request.
uuid	The unique ID of the request.
qrcode_path	The image path of the QR Code generated.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
```

```
"uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",  
"qrcode_path": "http://bank.kissvips.com/path/uuid.png"  
}
```

Url: create_qris_deposit

This is to create a new deposit via QRIS QR Code through payment gateway method. More about QRIS QR Code flow, can refer to **Appendix G: QRIS QR Code Flow**.

Request

Parameters	Type	Max Length	Required	Remark
account_no_list	json	512	No	The array of possible account number that user may use to transfer. e.g.: [6591492367, 0993720453, 1691414538]. The purpose is for the validation if there is multiple transactions with the same amount appear within the time range.
amount	float	-	Yes	Must be greater than zero, and less than pre-defined maximum deposit in system.
postback_url	string	512	Yes	The postback URL that will redirect to once the deposit is scanned.
callback_url	String	512	Yes	The callback URL that will call once the Prompt Pay is verified. Please refer to Appendix E for details.
ref	string	128	Yes	Reference for merchant to cross check with back office.
ref_2	String	128	No	Additional Reference if required

Response

Parameters	Remark
status	The status of the request.
uuid	The unique ID of the request.
redirect_path	The QRIS deposit path to redirected to.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
    "redirect_path": "http://bank.kissvips.com/pp_redirect?uuid=e14c4253-e32b-40f8-bda2-36c82e26111e"
  }
}
```

Url: create_qris_qrcode

This is to create a new deposit via QRIS QR Code through merchant own method. More about QRIS QR Code flow, can refer to **Appendix G: QRIS QR Code Flow**.

Request

Parameters	Type	Max Length	Required	Remark
account_no_list	json	512	No	The array of possible account number that user may use to transfer. e.g.: [6591492367, 0993720453, 1691414538]. The purpose is for the validation if there is multiple transactions with the same amount appear within the time range.
amount	float	-	Yes	Must be greater than zero, and less than pre-defined maximum deposit in system.
callback_url	String	512	Yes	The callback URL that will call once the Prompt Pay is verified. Please refer to Appendix E for details.
ref	string	128	Yes	Reference for merchant to cross check with back office.

Response

Parameters	Remark
status	The status of the request.
uuid	The unique ID of the request.
qrcode_path	The image path of the QR Code generated.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
```

```
"uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",  
"qrcode_path": "http://bank.kissvips.com/path/uuid.png"  
}
```

Url: create_true_money_deposit

This is to create a new deposit via Prompt Pay QR Code through payment gateway method. More about Prompt Pay QR Code flow, can refer to **Appendix F: True Money QR Code Flow**.

Request

Parameters	Type	Max Length	Required	Remark
account_no_list	json	512	No	The array of possible account number that user may use to transfer. e.g.: [6591492367, 0993720453, 1691414538]. The purpose is for the validation if there is multiple transactions with the same amount appear within the time range.
amount	float	-	Yes	Must be greater than zero, and less than pre-defined maximum deposit in system.
postback_url	string	512	Yes	The postback URL that will redirect to once the deposit is scanned.
callback_url	String	512	Yes	The callback URL that will call once the True Money is verified. Please refer to Appendix E for details.
ref	string	128	Yes	Reference for merchant to cross check with back office.
ref_2	String	128	No	Additional Reference if required

Response

Parameters	Remark
status	The status of the request.
uuid	The unique ID of the request.
redirect_path	The True Money deposit path to redirected to.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
    "redirect_path": "http://bank.kissvips.com/pp_redirect?uuid=e14c4253-e32b-40f8-bda2-36c82e26111e"
  }
}
```

Url: create_true_money_qrcode

This is to create a new deposit via Prompt Pay QR Code through merchant own method. More about Prompt Pay QR Code flow, can refer to **Appendix F: True Money QR Code Flow**.

Request

Parameters	Type	Max Length	Required	Remark
account_no_list	json	512	No	The array of possible account number that user may use to transfer. e.g.: [6591492367, 0993720453, 1691414538]. The purpose is for the validation if there is multiple transactions with the same amount appear within the time range.
amount	float	-	Yes	Must be greater than zero, and less than pre-defined maximum deposit in system.
callback_url	String	512	Yes	The callback URL that will call once the Prompt Pay is verified. Please refer to Appendix E for details.
ref	string	128	Yes	Reference for merchant to cross check with back office.

Response

Parameters	Remark
status	The status of the request.
uuid	The unique ID of the request.
qrcode_path	The image path of the QR Code generated.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
```

```
"uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",  
"qrcode_path": "http://bank.kissvips.com/path/uuid.png"  
}
```

Url: create_transfer

This is to create a new transfer, after created, the default status will be “Pending”.

More about transfer’s status can refer to **Appendix A: Transfer Status**.

Request

Parameters	Type	Max Length	Required	Remark
to_bank_id	integer	-	Yes	The specific bank id to transfer to. Refer to get_bank_config API.
to_account_no	integer	128	Yes	The account no of the bank to transfer
amount	float	-	Yes	Must be greater than zero, and less than pre-defined maximum transfer in system.
remark	string	128	Yes	Any transaction remark
remark_2	string	128	No	Additional remark if required
callback_url	String	512	No	The callback URL that will call once the transfer is success or fail. Please refer to Appendix E for details.

Response

Parameters	Remark
status	The status of the request.
transfer_id	The unique ID of this transfer.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "transfer_id": 2
  }
}
```

Url: get_balance

Request

Parameters	Type	Max Length	Required	Remark
-	-	-	-	-

Response

Parameters		Remark
status		The status of the request.
balance		The balance information
	amount	The balance of the merchant
	last_updated_at	The last updated date of the merchant balance

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "balance": {
      "amount": "0.00",
      "last_updated_at": "2023-12-20T20:07:29.000000Z"
    }
  }
}
```

Url: get_bank_config

Request

Parameters	Type	Max Length	Required	Remark
-	-	-	-	-

Response

Parameters		Remark
status		The status of the request.
accounts		The list of the available banks in the system.
	id	The unique ID of bank
	code	The unique code of bank
	name	The name of bank
	logo_url	The url of Bank Logo
	status	The status of the bank, details refer to Appendix A: Bank Config Status

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "accounts": [
      {
        "id": 1,
        "code": "002",
        "name": " BANGKOK BANK PUBLIC COMPANY LTD.",
        "logo_url": " https://bank.kissvips.com/path/name.png",
        "status": "D"
      }
    ]
  }
}
```

```
},  
{  
  "id": 2,  
  "code": "004",  
  "name": " KASIKORNBANK",  
  "status": "A"  
},  
{...}  
]  
}  
}
```

Url: get_manual_deposit_bank_list

Request

Parameters	Type	Max Length	Required	Remark
-	-	-	-	-

Response

Parameters		Remark
status		The status of the request.
accounts		The list of the available bank accounts for manual deposit in the system.
	id	The unique ID of the bank account, to be used when doing validation.
	bank_config_id	The ID of bank config, refer to get_bank_config API.
	bank_name	The name of bank associate with bank config.
	account_no	The account no of the bank
	account_name	The account name of the bank

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "accounts": [{
      "id": 18,
      "bank_config_id": 2,
      "bank_name": "KASIKORNBANK",
      "account_no": "1811691816",
      "account_name": "test name"
    }]
  }
}
```

} }

Url: get_prompt_pay_qrcode_by_ref

Request

Parameters	Type	Max Length	Required	Remark
ref	string	-	Yes	The ref of the prompt pay for checking, need to be exact match on ref attribute of the transfer (not including ref_2)

Response

Parameters	Remark
status	The status of the request.
prompt_pay_qrcode	The detail of the Prompt Pay QR Code
uuid	The unique ID of Prompt Pay QR Code
qrcode_path	The image path of the generated Prompt Pay QR Code.
amount	The amount of the Prompt Pay QR Code
ref	The ref sent by merchant
account_no_list	The account number list sent by merchant
callback_url	The callback URL sent by merchant
postback_url	The postback URL sent by merchant
status	The status of the Prompt Pay QR Code. More about transfer's status can refer to Appendix A: Prompt Pay QR Code Status .
created_at	The datetime where the Prompt Pay QR Code is created.
scanned_at	The datetime where the Prompt Pay QR Code is scanned.
verified_at	The datetime where the Prompt Pay QR Code is verified.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "prompt_pay_qrcode": {
      "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
      "qrcode_path": "http://bank.kissvip.club/path/uuid.png",
      "amount": "1.00",
      "ref": "ref",
      "account_no_list": "[123, 456]",
      "callback_url": "http://bank.kissvip.club",
      "postback_url": "http://bank.kissvip.club",
      "status": "C",
      "created_at": "2023-11-30T17:24:07.000000Z",
      "scanned_at": null,
      "verified_at": null
    }
  }
}
```

Url: get_prompt_pay_qrcode_by_uuid

Request

Parameters	Type	Max Length	Required	Remark
uuid	string	-	Yes	The unique ID for the Prompt Pay QR Code. Refer to <code>create_prompt_pay_qrcode</code> API.

Response

Parameters		Remark
status		The status of the request.
prompt_pay_qrcode		The detail of the Prompt Pay QR Code
	uuid	The unique ID of Prompt Pay QR Code
	qrcode_path	The image path of the generated Prompt Pay QR Code.
	amount	The amount of the Prompt Pay QR Code
	ref	The ref sent by merchant
	account_no_list	The account number list sent by merchant
	callback_url	The callback URL sent by merchant
	postback_url	The postback URL sent by merchant
	status	The status of the Prompt Pay QR Code. More about transfer's status can refer to Appendix A: Prompt Pay QR Code Status .
	created_at	The datetime where the Prompt Pay QR Code is created.
	scanned_at	The datetime where the Prompt Pay QR Code is scanned.
	verified_at	The datetime where the Prompt Pay QR Code is verified.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "prompt_pay_qrcode": {
      "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
      "qrcode_path": "http://bank.kissvip.club/path/uuid.png",
      "amount": "1.00",
      "ref": "ref",
      "account_no_list": "[123, 456]",
      "callback_url": "http://bank.kissvip.club",
      "postback_url": "http://bank.kissvip.club",
      "status": "C",
      "created_at": "2023-11-30T17:24:07.000000Z",
      "scanned_at": null,
      "verified_at": null
    }
  }
}
```

Url: get_qris_qrcode_by_ref

Request

Parameters	Type	Max Length	Required	Remark
ref	string	-	Yes	The ref of the QRIS for checking, need to be exact match on ref attribute of the transfer (not including ref_2)

Response

Parameters		Remark
status		The status of the request.
qris_qrcode		The detail of the QRIS QR Code
	uuid	The unique ID of QRIS QR Code
	qrcode_path	The image path of the generated QRIS QR Code.
	amount	The amount of the QRIS QR Code
	ref	The ref sent by merchant
	account_no_list	The account number list sent by merchant
	callback_url	The callback URL sent by merchant
	postback_url	The postback URL sent by merchant
	status	The status of the QRIS QR Code. More about transfer's status can refer to Appendix A: QRIS QR Code Status .
	created_at	The datetime where the QRIS QR Code is created.
	scanned_at	The datetime where the QRIS QR Code is scanned.
	verified_at	The datetime where the QRIS QR Code is verified.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "gris_qrcode": {
      "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
      "qrcode_path": "http://bank.kissvip.club/path/uuid.png",
      "amount": "1.00",
      "ref": "ref",
      "account_no_list": "[123, 456]",
      "callback_url": "http://bank.kissvip.club",
      "postback_url": "http://bank.kissvip.club",
      "status": "C",
      "created_at": "2023-11-30T17:24:07.000000Z",
      "scanned_at": null,
      "verified_at": null
    }
  }
}
```

Url: get_qris_qrcode_by_uuid

Request

Parameters	Type	Max Length	Required	Remark
uuid	string	-	Yes	The unique ID for the QRIS QR Code. Refer to <code>create_qris_qrcode</code> API.

Response

Parameters		Remark
status		The status of the request.
qris_qrcode		The detail of the QRIS QR Code
	uuid	The unique ID of QRIS QR Code
	qrcode_path	The image path of the generated QRIS QR Code.
	amount	The amount of the QRIS QR Code
	ref	The ref sent by merchant
	account_no_list	The account number list sent by merchant
	callback_url	The callback URL sent by merchant
	postback_url	The postback URL sent by merchant
	status	The status of the QRIS QR Code. More about transfer's status can refer to Appendix A: QRIS QR Code Status .
	created_at	The datetime where the QRIS QR Code is created.
	scanned_at	The datetime where the QRIS QR Code is scanned.
	verified_at	The datetime where the QRIS QR Code is verified.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "gris_qrcode": {
      "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
      "qrcode_path": "http://bank.kissvip.club/path/uuid.png",
      "amount": "1.00",
      "ref": "ref",
      "account_no_list": "[123, 456]",
      "callback_url": "http://bank.kissvip.club",
      "postback_url": "http://bank.kissvip.club",
      "status": "C",
      "created_at": "2023-11-30T17:24:07.000000Z",
      "scanned_at": null,
      "verified_at": null
    }
  }
}
```

Url: get_true_money_qrcode_by_ref

Request

Parameters	Type	Max Length	Required	Remark
ref	string	-	Yes	The ref of the true money for checking, need to be exact match on ref attribute of the transfer (not including ref_2)

Response

Parameters	Remark
status	The status of the request.
true_money_qrcode	The detail of the True Money QR Code
uuid	The unique ID of True Money QR Code
qrcode_path	The image path of the generated True Money QR Code.
amount	The amount of the True Money QR Code
ref	The ref sent by merchant
account_no_list	The account number list sent by merchant
callback_url	The callback URL sent by merchant
postback_url	The postback URL sent by merchant
status	The status of the True Money QR Code. More about transfer's status can refer to Appendix A: True Money QR Code Status .
created_at	The datetime where the True Money QR Code is created.
scanned_at	The datetime where the True Money QR Code is scanned.
verified_at	The datetime where the True Money QR Code is verified.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "true_money_qrcode": {
      "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
      "qrcode_path": "http://bank.kissvip.club/path/uuid.png",
      "amount": "1.00",
      "ref": "ref",
      "account_no_list": "[123, 456]",
      "callback_url": "http://bank.kissvip.club",
      "postback_url": "http://bank.kissvip.club",
      "status": "C",
      "created_at": "2023-11-30T17:24:07.000000Z",
      "scanned_at": null,
      "verified_at": null
    }
  }
}
```

Url: get_true_money_qrcode_by_uuid

Request

Parameters	Type	Max Length	Required	Remark
uuid	string	-	Yes	The unique ID for the Prompt Pay QR Code. Refer to <code>create_true_money_qrcode</code> API.

Response

Parameters	Remark
status	The status of the request.
true_money_qrcode	The detail of the True Money QR Code
uuid	The unique ID of True Money QR Code
qrcode_path	The image path of the generated True Money QR Code.
amount	The amount of the True Money QR Code
ref	The ref sent by merchant
account_no_list	The account number list sent by merchant
callback_url	The callback URL sent by merchant
postback_url	The postback URL sent by merchant
status	The status of the True Money QR Code. More about transfer's status can refer to Appendix A: True Money QR Code Status .
created_at	The datetime where the True Money QR Code is created.
scanned_at	The datetime where the True Money QR Code is scanned.
verified_at	The datetime where the True Money QR Code is verified.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "true_money_qrcode": {
      "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
      "qrcode_path": "http://bank.kissvip.club/path/uuid.png",
      "amount": "1.00",
      "ref": "ref",
      "account_no_list": "[123, 456]",
      "callback_url": "http://bank.kissvip.club",
      "postback_url": "http://bank.kissvip.club",
      "status": "C",
      "created_at": "2023-11-30T17:24:07.000000Z",
      "scanned_at": null,
      "verified_at": null
    }
  }
}
```

Url: get_transfer_by_id

Request

Parameters	Type	Max Length	Required	Remark
transfer_id	integer	-	Yes	The unique ID for the transfer. Refer to create_transfer API.

Response

Parameters		Remark
status		The status of the request.
transfer		The detail of the transfer
	id	The unique ID of transaction
	created_at	The datetime of the transfer being created
	bank_config_id	The unique ID of the bank to transfer to
	to_bank	The name of the bank to transfer to
	to_account	The account no of the bank to transfer to
	amount	The amount of the transfer
	remark	The remark of the transfer
	status	The status of the transfer. More about transfer's status can refer to Appendix A: Transfer Status .

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "transfer": {
      "id": 3,
      "datetime": "2023-04-05T15:06:37.000000Z",
      "bank_config_id": 2,
      "to_bank": "KASIKORNBANK",
      "to_account": "1463915322",
      "amount": "5.0000",
      "remark": "T1",
      "status": "S"
    }
  }
}
```

Url: get_transfer_by_remark

Request

Parameters	Type	Max Length	Required	Remark
remark	string	-	Yes	The remark of the transfer for checking, need to be exact match on remark attribute of the transfer (not including remark_2)

Response

Parameters		Remark
status		The status of the request.
transfer		The detail of the transfer
	id	The unique ID of transaction
	created_at	The datetime of the transfer being created
	bank_config_id	The unique ID of the bank to transfer to
	to_bank	The name of the bank to transfer to
	to_account	The account no of the bank to transfer to
	amount	The amount of the transfer
	remark	The remark of the transfer
	status	The status of the transfer. More about transfer's status can refer to Appendix A: Transfer Status .

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "transfer": {
      "id": 3,
      "datetime": "2023-04-05T15:06:37.000000Z",
      "bank_config_id": 2,
      "to_bank": "KASIKORNBANK",
      "to_account": "1463915322",
      "amount": "5.0000",
      "remark": "T1",
      "status": "S"
    }
  }
}
```

Url: update_prompt_pay_scanned_time

Update the scanned time for selected Prompt Pay Deposit, update after user had made the Prompt Pay transfer. System will then proceed to verify the transaction between the created time and scanned time.

Request

Parameters	Type	Max Length	Required	Remark
uuid	string	-	Yes	The UUID obtained from create_prompt_pay_qrcode API.

Response

Parameters	Remark
status	The status of the request.
prompt_pay_qrcode	The detail of the Prompt Pay QR Code
uuid	The unique ID of Prompt Pay QR Code
qrcode_path	The image path of the generated Prompt Pay QR Code.
amount	The amount of the Prompt Pay QR Code
ref	The ref sent by merchant
account_no_list	The account number list sent by merchant
callback_url	The callback URL sent by merchant
status	The status of the Prompt Pay QR Code. More about transfer's status can refer to Appendix A: Prompt Pay QR Code Status .
created_at	The datetime where the Prompt Pay QR Code is created.
scanned_at	The datetime where the Prompt Pay QR Code is scanned.
verified_at	The datetime where the Prompt Pay QR Code is verified.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "prompt_pay_qrcode": {
      "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
      "qrcode_path": "http://bank.kissvip.club/path/uuid.png",
      "amount": "1.00",
      "ref": "ref",
      "account_no_list": "[123, 456]",
      "callback_url": "http://bank.kissvip.club",
      "status": "S",
      "created_at": "2023-11-30T17:24:07.000000Z",
      "scanned_at": "2023-11-30T17:25:07.000000Z",
      "verified_at": null
    }
  }
}
```

Url: update_qris_scanned_time

Update the scanned time for selected QRIS Deposit, update after user had made the QRIS transfer. System will then proceed to verify the transaction between the created time and scanned time.

Request

Parameters	Type	Max Length	Required	Remark
uuid	string	-	Yes	The UUID obtained from create_qris_qrcode API.

Response

Parameters		Remark
status		The status of the request.
qris_qrcode		The detail of the QRIS QR Code
	uuid	The unique ID of QRIS QR Code
	qrcode_path	The image path of the generated QRIS QR Code.
	amount	The amount of the QRIS QR Code
	ref	The ref sent by merchant
	account_no_list	The account number list sent by merchant
	callback_url	The callback URL sent by merchant
	status	The status of the QRIS QR Code. More about transfer's status can refer to Appendix A: QRIS QR Code Status .
	created_at	The datetime where the QRIS QR Code is created.
	scanned_at	The datetime where the QRIS QR Code is scanned.
	verified_at	The datetime where the QRIS QR Code is verified.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "gris_qrcode": {
      "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
      "qrcode_path": "http://bank.kissvip.club/path/uuid.png",
      "amount": "1.00",
      "ref": "ref",
      "account_no_list": "[123, 456]",
      "callback_url": "http://bank.kissvip.club",
      "status": "S",
      "created_at": "2023-11-30T17:24:07.000000Z",
      "scanned_at": "2023-11-30T17:25:07.000000Z",
      "verified_at": null
    }
  }
}
```

Url: update_true_money_scanned_time

Update the scanned time for selected True Money Deposit, update after user had made the True Money transfer. System will then proceed to verify the transaction between the created time and scanned time.

Request

Parameters	Type	Max Length	Required	Remark
uuid	string	-	Yes	The UUID obtained from create_true_money_qrcode API.

Response

Parameters	Remark
status	The status of the request.
true_money_qrcode	The detail of the True Money QR Code
uuid	The unique ID of True Money QR Code
qrcode_path	The image path of the generated True Money QR Code.
amount	The amount of the True Money QR Code
ref	The ref sent by merchant
account_no_list	The account number list sent by merchant
callback_url	The callback URL sent by merchant
status	The status of the True Money QR Code. More about transfer's status can refer to Appendix A: True Money QR Code Status .
created_at	The datetime where the True Money QR Code is created.
scanned_at	The datetime where the True Money QR Code is scanned.
verified_at	The datetime where the True Money QR Code is verified.

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "true_money_qrcode": {
      "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e",
      "qrcode_path": "http://bank.kissvip.club/path/uuid.png",
      "amount": "1.00",
      "ref": "ref",
      "account_no_list": "[123, 456]",
      "callback_url": "http://bank.kissvip.club",
      "status": "S",
      "created_at": "2023-11-30T17:24:07.000000Z",
      "scanned_at": "2023-11-30T17:25:07.000000Z",
      "verified_at": null
    }
  }
}
```

Url: validate_manual_deposit_transaction

Validate if the manual deposit success or not based on provided bank account ID, depositor bank, account no, and account name.

Request

Parameters	Type	Max Length	Required	Remark
bank_account_id	integer	20	Yes	The ID of the bank account that depositor transfer to which obtained from get_manual_deposit_bank_list API.
bank_config_id	integer	20	Yes	The Bank that depositor used to transfer, refer to get_bank_config API.
account_no	string	128	Yes	The Account No that depositor used to transfer.
account_name	string	128	Yes	The Account Name that depositor used to transfer.
amount	decimal	-	Yes	The exact Amount that depositor transfer.
ref_no	string	128	No	Optional field, if left blank, system will bypass the checking. The transaction ID of the transaction.

Response

Parameters		Remark
status		The status of the request.
transaction		The detail of the transaction. If return null, it means that the transaction is not found.
	bank_account_id	The bank account ID of the transaction
	datetime	The date time of the transaction.
	amount	The amount of the transaction
	description	The description of the transaction
	from_bank_id	The bank extracted from transaction
	from_account_name	The account name extracted from transaction
	from_account_no	The account no extracted from transaction

Sample of the responses:

```
{
  "response": {
    "status": "OK",
    "transaction": {
      "bank_account_id": 13,
      "datetime": "2023-11-15 17:53:06",
      "amount": "-300.0000",
      "description": "Transfer Withdrawal\nKBANK\nTo Acc No. : X625031\nRef. No. : 0433625031",
      "from_bank_id": null,
      "from_account_name": "",
      "from_account_no": "KBANK"
    }
  }
}
```

Appendix A

Transfer Status

Code	Name
P	Pending
Q	Queue
S	Success
F	Failed
R *	Running

*** Not using at this moment**

Bank Config Status

Code	Name
A	Active
D	Disabled

Bank Type

Code	Name
P	Personal Account
B	Business Account

Prompt Pay QR Code Status

Code	Name
C	Created
S	Scanned
V	Verified

True Money QR Code Status

Code	Name
C	Created
S	Scanned
V	Verified

QRIS QR Code Status


Code	Name
C	Created
S	Scanned
V	Verified

Manual Deposit Status

Code	Name
P	Pending
V	Verified


Appendix B

Transfer flow (**Obsoloted**)




Appendix C

Payment Gateway Flow (**Obsoluted**)




Appendix D

Prompt Pay QR Code Deposit flow (Payment Gateway Method)



Prompt Pay QR Code Deposit flow (Merchant Own Method)



Appendix E

Transfer Call Back

A POST request will be sent to the URL specified by the `callback_url` param during the `create_transfer` API.

The call back will only send on every status changes. No response is needed for the call back.

The details of the call back are as follows:

Trigger Time	Format	Response Required
When the transfer is started	<pre>{ "transfer_id":2, "amount":3000, "status":"S", "remark":"r1", "remark_2":"r2", "time": "1721041420.18", "signature": "cd75494d75aadba39ad4d41c276d743a" }</pre>	N/A
When the transfer encounter error during the process		
When the transfer is completed (either success or fail)		

The signature can be validated using the same method as API: `md5(time + api_key)`

Where `time` is the epoch time provided in the callback response and `api_key` is the merchant's API Key given.

Prompt Pay QR Code Deposit Call Back

A POST request will be sent to the URL specified by the `callback_url` param during the `create_prompt_pay_qrcode` API.

The call back will only send ONCE, and no response is needed for the call back.

The details of the call back are as follows:

Trigger Time	Format	Response Required
When the Prompt Pay QR Code deposit is successfully verified.	<pre>{ "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e", "deposit_amount": "1.00", "adjustment": "0.01", "amount": "1.01", "ref": "ref", "ref_2": "ref_2", "status": "V", "created_at": "2023-11-30T17:24:07.000000Z", "scanned_at": "2023-11-30T17:25:07.000000Z", "verified_at": "2023-11-30T17:26:07.000000Z", "time": "1721041420.18", "signature": "cd75494d75aadba39ad4d41c276d743a" }</pre>	N/A

The signature can be validated using the same method as API: `md5(time + api_key)`

Where `time` is the epoch time provided in the callback response and `api_key` is the merchant's API Key given.

True Money QR Code Deposit Call Back

A POST request will be sent to the URL specified by the `callback_url` param during the `create_true_money_qrcode` API.

The call back will only send ONCE, and no response is needed for the call back.

The details of the call back are as follows:

Trigger Time	Format	Response Required
When the True Money QR Code deposit is successfully verified.	<pre>{ "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e", "deposit_amount": "1.00", "adjustment": "0.01", "amount": "1.01", "ref": "ref", "ref_2": "ref_2", "status": "V", "created_at": "2023-11-30T17:24:07.000000Z", "scanned_at": "2023-11-30T17:25:07.000000Z", "verified_at": "2023-11-30T17:26:07.000000Z", "time": "1721041420.18", "signature": "cd75494d75aadba39ad4d41c276d743a" }</pre>	N/A

The signature can be validated using the same method as API: `md5(time + api_key)`

Where `time` is the epoch time provided in the callback response and `api_key` is the merchant's API Key given.

QRIS QR Code Deposit Call Back

A POST request will be sent to the URL specified by the `callback_url` param during the `create_qris_qrcode` API.

The call back will only send ONCE, and no response is needed for the call back.

The details of the call back are as follows:

Trigger Time	Format	Response Required
When the QRIS QR Code deposit is successfully verified.	<pre>{ "uuid": "e14c4253-e32b-40f8-bda2-36c82e26111e", "deposit_amount": "1.00", "adjustment": "0.01", "amount": "1.01", "ref": "ref", "ref_2": "ref_2", "status": "V", "created_at": "2023-11-30T17:24:07.000000Z", "scanned_at": "2023-11-30T17:25:07.000000Z", "verified_at": "2023-11-30T17:26:07.000000Z", "time": "1721041420.18", "signature": "cd75494d75aadba39ad4d41c276d743a" }</pre>	N/A

The signature can be validated using the same method as API: `md5(time + api_key)`

Where `time` is the epoch time provided in the callback response and `api_key` is the merchant's API Key given.

Manual Deposit Call Back

A POST request will be sent to the URL specified by the `callback_url` param during the `create_manual_deposit` API.

The call back will only send ONCE, and no response is needed for the call back.

The details of the call back are as follows:


Trigger Time	Format	Response Required
When the manual deposit is successfully verified.	<pre>{ "manual_deposit_id":1, "amount":"10.00", "remark_1":"remakr1", "remark_2":"T7", "status":"V", "created_at":"2025-04-11T14:51:25.000000Z", "verified_at":"2025-04-11T15:27:53.000000Z", "time":"1744385273.63", "signature":"dcf29df07e6580c42a3258e215155fda" }</pre>	N/A

The signature can be validated using the same method as API: `md5(time + api_key)`


Where `time` is the epoch time provided in the callback response and `api_key` is the merchant's API Key given.

Appendix F

True Money QR Code Deposit flow (Payment Gateway Method)




True Money QR Code Deposit flow (Merchant Own Method)



Appendix G

QRIS QR Code Deposit flow (Payment Gateway Method)



QRIS QR Code Deposit flow (Merchant Own Method)

